



Zebra Mussels: Frequently Asked Questions

Life's better outside.®

What are zebra mussels?

Zebra Mussels (*Dreissena polymorpha*) are invasive freshwater mussels. The shells are triangular, smooth or shallowly ridged, and can vary in color from solid light to dark brown, or have alternating dark and light stripes. At various stages of life, mussels range in size from microscopic larvae that can be transported in water in boats up to about 1.5 inches. Adult zebra mussels attach to hard surfaces using 'byssal threads' and tend to seek out dark crevices when they attach. Quagga mussels (*Dreissena bugensis*) are a closely related species that is found in the Great Lakes as well as in some western states, but has not yet been found in Texas. Quagga Mussels are more adaptable than zebra mussels, and can live at greater depths and in colder water.

Where are zebra mussels native, and where were they first found in the U.S.?

Zebra mussels are native to the Black and Caspian Sea drainages in Eurasia. They spread throughout Europe as manmade canals were built. In 1988, zebra mussels were first discovered in the Great Lakes. In 1989, quagga mussels were also discovered in the Great Lakes. It is believed they were brought to the United States in the ballast water and/or on the anchors of trans-oceanic ships. Within a few years, they had spread throughout the Mississippi River Basin via transport on barges/ships and then began to move overland by hitchhiking on boats.

What are the environmental impacts of zebra mussels?

Zebra mussels are filter feeders that can consume large quantities of plankton, the microscopic plants and animals on which other species depend. As a result the ecological balance of an entire waterbody can be disturbed, displacing native species and sport fish. Zebra mussels can increase water clarity—which sounds like a good thing—but this encourages invasive plant infestations, allowing them to grow at greater depths. Zebra mussels attach to and smother native mussels—and many of Texas' mussel species are imperiled.

What are the economic impacts of the zebra mussels?

Zebra mussels pose an economic threat to Texas' infrastructure and recreation industries. They clog pipes and intakes, impeding distribution of municipal water supplies, agricultural irrigation, and power plant operation. Zebra mussels can also impact recreation by limiting recreational opportunities, encrusting docks and beaches, and colonizing recreational equipment including watercraft hulls, engines, and steering components.

How are zebra mussels spread?

In addition to moving downstream with the flow of water, zebra mussels are spread by humans, who move objects (primarily boats) on which mussels are attached from one waterbody to another. Adult zebra mussels can survive out of water for a week or longer (up to a month under ideal conditions), and the microscopic larvae can be transported in water in bilges, ballasts, live wells, or any equipment that holds water. It is suspected that zebra mussels were brought to Texas on the hull of a recreational boat. Studies show the risk of birds transporting zebra mussels is extremely low. Catfish often eat them, and zebra mussels can pass through their digestive tracts unharmed, and so catfish could transport them.

When and where have zebra mussels been found in Texas?

Zebra mussels were first discovered in 2009 in Lake Texoma in the Red River Basin. They have since continued to spread downstream as well as to other river basins by overland transport on boats.

For the most up-to-date listing of confirmed zebra mussel finds, go to <http://tpwd.texas.gov/huntwild/wild/species/exotic/zebramusselmap.phtml>

As of July 1st, 2018, fourteen Texas lakes in five river basins can be classified as fully infested with zebra mussels, meaning the water body has an established, reproducing population: Austin, Belton, Bridgeport, Canyon, Dean Gilbert (a 45-acre Community Fishing Lake in Sherman), Eagle Mountain, Georgetown, Lewisville, Livingston, Randell (local Denison access only), Ray Roberts, Stillhouse Hollow, Texoma, and Travis.

Six other lakes are classified as “positive”—meaning zebra mussels or their larvae have been detected on *more than one occasion*—lakes Grapevine, Lavon, Richland Chambers, Waco, Worth, and Fishing Hole Lake (a small lake connected to the Trinity River below Lake Lewisville). So far there is no evidence of a reproducing population in these lakes. Rivers downstream of infested lakes, including the Red, portions of the Trinity, Leon, Lampasas, and Little rivers are also “positive” for zebra mussels, but it is uncertain whether these populations would be self-sustaining without an upstream source of zebra mussel larvae.

Zebra mussels or their larvae have been found once in recent years in Lady Bird Lake, Lake Fork, and Lake Ray Hubbard, and in the Colorado River downstream of Austin. These water bodies are classified as "suspect."


Zebra Mussel Status - June 2018

Water Body Classification

- Infested (Reproducing Population)
- Positive (Multiple Detections)
- Suspect (One Verified Detection)
- Inconclusive
- Undetected/Negative

River Basin

- Brazos
- Brazos-Colorado
- Canadian
- Colorado
- Colorado-Lavaca
- Cypress
- Guadalupe
- Lavaca
- Lavaca-Guadalupe
- Neches
- Neches-Trinity
- Nueces
- Nueces-Rio Grande
- Red
- Rio Grande
- Sabine
- San Antonio
- San Antonio-Nueces
- San Jacinto
- San Jacinto-Brazos
- Sulphur
- Trinity
- Trinity-San Jacinto



Infested Lakes (14): Austin, Belton, Bridgeport, Canyon, Dean Gilbert, Eagle Mountain, Georgetown, Lewisville, Livingston, Randell, Ray Roberts, Stillhouse Hollow, Texoma, Travis
Positive Lakes (5): Fishing Hole, Grapevine, Lavon, Richland Chambers, Waco, Worth
Suspect Lakes (3): Fork, Lady Bird, Ray Hubbard

How can we get rid of them?

Eradication of zebra mussels is virtually impossible, although in certain cases where localized, low-density infestations were present, Texas and local agencies have taken steps to try to prevent them from becoming fully established. Preventing spread is the best course of action. However, since their larvae are free drifting, preventing their spread downstream from known infestations may not be possible. In North America, zebra mussels have few natural predators. Several species of fish (for example, catfish, green sunfish, freshwater drum) and ducks have been known to eat them, but these species are not an effective control.

What is being done in response to zebra mussels?

A coalition of partners funds a public awareness campaign to inform boaters about the pathways and consequences of transporting zebra mussels and Clean, Drain, Dry methods for preventing their spread. These and other partners, including local, state, and federal agencies, are also monitoring for early detection of new infestations. We are also working with marinas to reduce the risk of boats infested with zebra mussels from being transported to other water bodies.

Why isn't recreational access restricted for waterbodies with zebra mussels?

Closure of infested waters could have devastating economic impacts upon a community. TPWD works with the authority in charge of each infested water to implement signage to let boaters know zebra mussels are present and that boats must be cleaned, drained, and dried.

Do all watercraft, including kayaks, need to be cleaned between waterbodies?

YES. In Texas, it is unlawful to possess or transport zebra mussels, dead or alive. Zebra mussel larvae are microscopic and both adults and larvae can survive for days in or on boats transported from a lake and in residual water trapped in any watercraft. Boaters are required to drain all water from their boat and onboard receptacles before leaving or approaching a body of fresh water in order to prevent the transfer of zebra mussels and other invasive species. The requirement to drain applies to all types and sizes of boats whether powered or not: personal watercraft, sailboats, kayaks/canoes or any other vessel used on public waters. It is good practice to make sure to clean, drain, and dry anything that comes into contact with lake water before going to a new site. If you can't let the boat or other gear dry completely, visit a carwash and use soapy, high pressure water to clean everything as well as possible to reduce the risk of transferring invasive species.

More information about zebra mussels can be found online at <http://tpwd.texas.gov/ZebraMussels>

TPWD receives funds from the USFWS. TPWD prohibits discrimination on the basis of race, color, religion, national origin, disability, age, and gender, pursuant to state and federal law. To request an accommodation or obtain information in an alternative format, please contact TPWD on a Text Telephone (TDD) at (512) 389-8915 or by Relay Texas at 7-1-1 or (800) 735-2989. If you believe you have been discriminated against by TPWD, please contact TPWD or the U.S. Fish and Wildlife Service, Office for Diversity and Workforce Management, 5275 Leesburg Pike, Falls Church, VA 22041.

In accordance with Texas State Depository Law, this publication is available at the Texas State Publications Clearinghouse and/or Texas Depository Libraries.